



CITROËN **RELAY**

PRODUCT SPECIFICATIONS

INSPIRÉ PAR PRO SINCE 1919

OVER TO YOU ADVANCED, WELL EQUIPPED AND EFFORTLESSLY FUNCTIONAL.



	×_	Worker	Enterprise	Driver	Grew Van Enterprise	Window Van X
DIESEL ENGINES						
BlueHDi 120S&S	•		•			•
BlueHDi 140 S&S	•	•	•	•	•	•

For full engine availability please refer to the Technical Specifications and Price Insert.

X.

NEW CITROËN RELAYX SPECIFICATION INCLUDES:

Comfort & Convenience

- Front electric windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror
- 12v socketin cabin
- Full size steel spare wheel
- Reach adjustable steering wheel
- Two cupholders with mobile phone storage in centre of lower dashboard

Safety & Security

- ESC with Hill Start Assist, ABS brakingincluding EBA and EBFD
- Remote central locking with deadlocking and separate locking for cab
- Driver airbag
- Full steel bulkhead (panel van only)
- Daytime running lights

Seating

- Driver's seat with height, rake and reach adjustment
- Dual passenger bench seat

Technology& Entertainment

- DAB radio with Bluetooth[®] handsfree, USB socketand steering wheel mounted controls
- Telematics box for Free2Move Connect Fleet Services

Exterior Features

- Side rubbing strips
- Steel wheels with centre cap
- Twin unglazed rear doors (opening to 180° –panel van only)
- Nearside sliding side loading door

Window Van Only

- Ladder frame protection behind driver
- Twinglazed rear doors with heated windows (opening to 180°) Glazing to row 2, 3 and nearside sliding side loading door

WORKER.

NEW CITROËN RELAYWORKER SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort and Convenience

- Cruise control with variable speed limiter
- Lower central glovebox (in lieu of cupholders and mobile phone storage)

Safety & Security

- Grip Control with Hill Descent Control Underbody protection plate
- Reinforced suspension

Seating

 Driver's seat with height, rake, reach and lumbar adjustment Driver's seat amrest

Exterior Features

- Multi-seasontyres
- Front and rear mudflaps

Technology& Entertainment

 DAB radio with steering mounted controls, 5 inch colour touch screen, Bluetooth[®] handsfree, & USB socket

ENTERPRISE.

NEW CITROËN RELAYENTERPRISE SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort & Convenience

- Air conditioning
- Cruise control with variable speed limiter
- Rear parking sensors

Safety & Security

• Alarm

Seating

- Driver's seat with height, rake, reach and lumbar adjustment
- Driver's seat armrest

Technology& Entertainment

 5" Colour touchscreenwith DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

Crew Van Only

- Three-seatbench in row 2 with fixed side windows, doth headlining and non slip floor
- Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)
- Moulded side panels with integrated bottle holders

DRIVER.

NEW CITROËN RELAY DRIVER SPECIFICATION IN ADDITION TO ENTERPRISE INCLUDES:

Comfort & Convenience

• Rear parking sensors and camera

Lighting and Visibility

- LED running lights integrated into the main headlights
- Automatic windscreen wipers
- Automatic lights

Exterior Features

Full wheel trims

Technology& Entertainment

USB charging socketon dashboard

Safety & Security

 DriveAssistPack - Active Safety Brake, collisionalert, Lane Departure Warning, smart beam headlights and speed limit recognition



EQUIPMENT SPECIFICATION

To make choosing straightforward and enjoyable, we've worked hard to ensure that the information in this brochure is accurate at the time it was created in December 2019. It's important to remember that Citroën can introduce changes to the equipment and accessories featured, although these wouldn't alter the essential character and design of the models. Naturally the images and specifications are also dependent on trim level and any options included.

We knowhow important it is to present the right facts and figures, so our brochures are regularly updated, however it is important that you consult your dealer when ordering your vehicle to ensure you are advised of the latest specifications and equipment.

	Norker Enterprise Driver				Grew Van Entermin	Window Van X	Vin
TECHNOLOGY & ENTERTAINMENT							
Telematicsbox for Free2Move Connect Fleet services	•	•	•	•	•	•	
DAB radio with steering mounted controls, Bluetooth® handfree and USB socket	•					•	
5" Colour touchscreenwith DAB radio, Bluetooth® handsfree, USB socketand steering wheel mounted controls		•					
5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls	0	0	•	•	•	0	
COMFORTAND CONVENIENCE							
Variable assisted powersteering	•	•	•	•	•	•	
Gear shift indicator	•	•	•	•	•	•	
Twin lens door mirrors with electrically adjustable and heated upper mirror	•	•	•	•	•	•	
Rear parking sensors	0	0	•	•	•	0	
Rear view camera	0	0	0	•	0	0	
Electric front windows	•	•	•	•	•	•	
Reach adjustable steering wheel	•	•	•	•	•	•	
Central dash folding dipboard (deleted with passenger airbag)			•		•		
Manual air-conditioning for cab area, including glovebox	0	0	•	•	•	0	
SAFETY & SECURITY							
Drive Assist Pack - Speed limit recognition, smart beamheadlights, Active Safety Brake, collision alert and Lane Departure Warning system	0	0	0	•	0	0	
ABS	•	•	•	•	•	•	
ElectronicStability Control(ESC)	•	•	•	•	•	•	
EmergencyBraking Assistance	•	•	•	•	•	•	
EBFD (Electronic Brake Force Distribution)	•	•	•	•	•	•	
Thatchamrolling transponderimmobiliser	•	•	•	•	•	•	
Oil level indicator	•	•	•	•	•	•	
Cruise control with variable speed limiter	0	•	•	•	•	0	
Driver's airbag	•	•	•	•	•	•	

	×	Worker	Enterprise	/	Grew Van Entra	Window Van X	
SAFETY & SECURITY (CONTINUED)							ı
Full size steel spare wheel	•	•	•	•	•	•	ı
Three x3 point inertia reel, height adjustable seatbelts (Twowith single passenger seat)	•	•	•	•	•	•	ı
Perimetric alarm	0	0	•	•	•	0	
Deadlocks	•	•	•	•	•	•	
High frequency remote control central locking with 3-buttonplip	•	•	•	•	•	•	i
Visible Vehicle Identification Number (at base of windscreen)	•	•	•	•	•	•	Ì
LIGHTING & VISIBILITY							ı
Halogen headlights with clear polycarbonatelenses	•	•	•	•	•	•	i
Front LED daytime running lights	0	0	0	•	0	0	ĺ
2 speed, intermittent front windscreen wipers (non-automatic)	•	•	•		•	•	Ì
Visibility Pack – automatic lights and windscreen wipers	0	0	0	•	0	0	i
Remote headlight adjustment from fascia	•	•	•	•	•	•	i
Tinted windows	•	•	•	•	•	•	ı
Laminated windscreen	•	•	•	•	•	•	ĺ
Manually folding door mirrors	•	•	•	•	•	•	ĺ
DOORS& WINDOWS							i
Rear doors opening to 180°	•	•	•	•	•	•	i
Nearside sliding side loading door	•	•	•	•	•	•	Ī
Fixed side windows in row 2					•	•	Ī
Unglazed rear doors	•	•	•	•	•		ĺ
Glazed rear doors with heated windows	0	0	0		0	•	ĺ
LOAD CARRYING							
Ladder frame bulkhead						•	
Full steel bulkhead	•	•	•	•			
Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats					•		
Eight tie-downhooksin the load area (ten on L3 & L4)	•	•	•	•		•	
Rear single-leaf suspension	•		•	•	•	•	
Rear reinforced twin-leaf suspension	0	•	0	0	0	0	

				rise		Crew Van Entern	Window Van Y
		×	Worker	Enterprise	D jě	Gew /	Windo
	SEATING						
	Driver's seat height adjustment	•	•	•	•	•	•
	Driver's seat armrest, lumbar adjustment and under seat storage		•	•	•	•	
	Passenger bench seat	•	•	•	•	•	•
	Three-seatbench in row 2 with adjustable head restraints					•	
	Non slip hard-wearingfrontcabin floor covering	•	•	•	•	•	•
	INTERIOR STYLE & STORAGE						
	Two cup holders and mobile phone storage in centre of lower dashboard	•	0	0		0	•
	Lockable, non-illuminatedglove box	•	•	•	•	•	•
	Lower central glovebox	0	•	•	0	•	0
	12v socketin cabin	•	•	•	•	•	•
	USB charging socket on dashboard	0	0	0	•	0	0
	Load area light (two on H2 & H3)	•	•	•	•	•	•
	Row 2 fitted with cloth headlining, non slip floor and moulded side panels with integrated bottle holders					•	
	WHEELS, TYRES & EXTERIORSTYLE						
	Grip Control with Hill Descent Control	0	•	0	0	0	0
	Multi-season tyres		•				
	Underbody protection plate	0	•	0	0	0	0
	Front and rear mudflaps	0	•	0	0	0	0
	Full wheel trims	0	0	0	•	0	0
	INSTRUMENTS						
	Rev counter, water temperature gauge, fuel gauge and trip computer	•	•	•	•	•	•
	Battery chargewarning	•	•	•	•	•	•
	Bulb out warning for side light,headlamp and indicators	•	•	•	•	•	•
Ì	Lights on alarm	•	•	•	•	•	•
	Door open warning for cab doors	•	•	•	•	•	•

Standardequipment

Optionalfactor/fittedequipment o

Option ianactory intercequipi nei it o

Optionavailabilityvariesaccordingtoversion/engine/trimlevel. Someoptionsareonlyavailableaspart of a pack. Pleaserefer totheoptionspagefor further information. Panel Van

EXTERIOR SPECIFICATION

WHEELS



STANDARDSTEEL WHEELS Tyres: 215/70 R15 C 30,33,35 Panel & CrewVans



STANDARDSTEEL WHEELS Tyres: 215/75 R16 C 35 Heavy Panel Vans



15" WHEEL TRIMS Tyres: 215/70 R15 C 30,33,35 Panel Vans



16" WHEEL TRIMS Tyres: 215/75 R16 C 35 Heavy Panel Vans



15" ALLOYWHEELS Tyres: 215/70 R15 C 30,33,35 Panel Vans



16" ALLOYWHEELS Tyres: 215/75 R16 C 35 Heavy Panel Vans

BODY COLOURS











Polar White

Iron Grey (M)

Cumulus Grey (M)

Pacific Blue






Lake Blue (M)



Golden White (M) Graphito Grey (M)

INTERIOR TRIMS



'Magnet' trim – dark grey doth with black and red twill

(M) Metallic
Please note: Colours and pictures shown are for illustration: purposes only.
Please consult your Dealer for definitive colour and trim/upholstery details.

TECHNICAL SPECIFICATION

VERSIONS	BlueHDi 120S&S						
	V	an	Window Van				
	30	33	33				
		L	1				
		Н	1				
ENGINE							
Capacity (cc)	2179						
Cylinders / Valves	4 / 16						
Max power CEE (kW/rpm)		88 (120)) / 3500				
Max torque CEE (Nm/rpm)		310 (228	3) / 1500				
Bore and stroke (mm)		85 :	x 96				
Fuel system	Diese	• .	sure turbo-charged njection				
Euro status		Euro	6.2				
Stop & Start System							
TRANSMISSION							
Gearbox		Mar	nual				
Number of Gears		(ŝ				
ECONOMY Litres/100km(mpg) (Official Covernment test fuel consumption figures)							
Low	10.1 -7.9 (27.9 -35.9)						
Medium	9.4 -7.0 (30.1 -40.3)						
High	9.4 -7.0 (30.0 -40.6)						
Extra-high		12.6 -9.8 (22.4 –28.9)				
Combined		10.6 -8.1 (26.6 –34.9)				
CO ₂ EMISSIONS (g/km)	155	154	154				
WEIGHTS (kg) with 3 seats / 2 seats							
Gross Vehicle Weight (GVW)	3000	3300	3300				
Kerb weight ¹	1875	1875	1875				
Mass in service	2058	2058	2058				
Maximum Indicative Payload ²	1125	1425	1425				
Max plated front axle ³	1680	1800	1800				
Max plated rear axle ³	1650	1900	1900				
Gross TrainWeight (GTW)	5500	5800	5800				
Maximum braked towing weight ⁴	2500	2500	2500				
Maximum unbraked towing weight	750	750	750				
Maximum towball weight	100	100	100				
Max roof rack load	150	150	150				
BRAKES Front / Rear		Ventilated o	discs / discs				
SUSPENSION	struts with	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers					
FUEL TANK CAPACITY Litres (gallons)		90 (19.8)				
ADBLUE TANK CAPACITY Litres			3.6				

VERSIONS	BlueHDi 140S&S										
	Va	an	Van	Window Van	Va	n	V	Crew Van			
	3	5	35	35	35 Heavy	35	35 Heavy		35		
	L	2	L	3	L3	3	L4		L3		
	H1	H2	ŀ	12	H2	H3	H2	H3	H2		
ENGINE											
Capacity (cc)					2179						
Cylinders / Valves	4 / 16										
Max power CEE (kW/rpm)	103 (140) / 3750										
Max torque CEE (Nm/rpm)		340 (250) / 1750									
Bore and stroke (mm)					85 x 96						
Fuel system				Diesel -H	igh pressure turbo direct injection	o-charged					
Euro status					Euro 6.2						
Stop & Start System					•						
TRANSMISSION											
Gearbox					Manual						
Number of Gears					6						
ECONOMY Litres/100km(mpg)											
(Official Covernment test fuel consumption figures) LOW	10.4 0.1 (27.1 24.0)										
Medium	10.4 -8.1 (27.1 -34.9)										
High	9.9 -7.2 (28.4 -39.3)										
Extra-high	9.6 -7.1 (29.4 -39.8) 13.2 -9.9 (21.4 -28.6)										
Combined					1 -8.2 (25.5 -3	•					
					166						
CO ₂ EMISSIONS (g/km)	153	159	162	162	(169 Worker)	169	166	175	162		
WEIGHTS (kg) with 3 seats/ 2 seats											
Gross Vehicle Weight (GVW)	3500	3500	3500	3500	3500	3500	3500	3500	3500		
Kerb weight ¹	1930	1955	2005	2005	2045	2030	2090	2120	2110		
Mass in service	2113	2138	2188	2188	2228	2213	2273	2303	2293		
MaximumIndicative Payload ²	1570	1545	1495	1495	1455	1470	1410	1380	1390		
Max plated front axle ³	1870	1870	1870	1870	2100	1870	2100	2100	1870		
Max plated rear axle ³	2000	2000	2000	2000	2400	2000	2400	2400	2000		
Gross Train Weight (GTW)	6000	6000	6000	6000	6500	6000	6500	6500	6000		
Maximum braked towing weight ⁴	2500	2500	2500	2500	3000	2500	3000	3000	2500		
Maximum unbraked towing weight	750	750	750	750	750	750	750	750	750		
Maximum towball weight	100	100	100	100	100	100	120	120	100		
Max roof rack load	150	150	150	150	150	150	150	150	150		
BRAKES Front / Rear				Ver	ntilated discs / d	ISCS					
SUSPENSION	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers										
FUEL TANK CAPACITY Litres (gallons)					90 (19.8)						
ADBLUE TANK CAPACITY Litres					18.6						

1Withoutdriver.KerbweightiscalculatedforaEuropeanbasespecificationvehicleincludingoil,water, lubricants,tools,sparewheeland90%fullfueltank.Weightsmaychangewiththeadditionofequipment. 2MaximumindicativepayloadiscalculatedasthedifferencebetweenGWandkerbweight.However, duetomanufacturingtolerancesanddifferencesinthespecificationofUkvehides,themassinservice figureprovidesacloserindicationofthevehicleweightandthereforeenablesamorerealisticpayloadtobe calculated.Anindividualvehidemustbeweighetloestablishtheevactkerbweightandpayloadapplicable tothatvehide.ltistheresponsibilityofthedrivertoensurethevehideisoperatedwithinthelegallimits.

3WithinlimitsofGTW.

4MaximumrecommendedtowingweightwithinlimitsofGTW.
Quotedvaluesapplytoalltrimlevelsunlessdetailed.

Quotedvaluesapplytoalltrimlevelsunlessdetailed. Figuresshownareforcomparisonpurposesonly,youshouldonlycomparethesefuekonsumptionand CO, figureswithothervehidestestedusingthesametechnicalstandard. Thefuekonsumptionyou achieve.andCO, produced,inrealworldconditionswilldependuponanumberoffactors includingthe accessoriesfitted(postregistration), variations inweather, drivingstylesandvehideload. Thereisanew testW. TPWorldwidel-lammonisedLightVehides TestProcedureluseattomeasurefuekonsumptionand CO; figures. TheCO; figuresshownareNEDCeq(NewEuropeanDrivingCydeEquivalent), cakulated usinganECcorrelationtoolwhichconvertsW. TPfigurestoNEDC. TheseNEDCeqfiguresarebasedon theoutgoingtestcycle.CO; andfueleconomyfiguresmayvaryaccordingtowheelfitmentandoptional extrasfitted.

DIMENSIONS

VERSIONS	RELAY L1	REL.	YL2	REL/	AYL3	RELAY L3 CREW VAN	REL/	YL4	
Interior dimensions (mm)	H1	H1	H2	H2	Н3	H2	H2	Н3	
Volume (m³)	8	10	11.5	13	15	10.5	15	17	
Load length at floor	2670	3120	3120	3705	3705	3075	4070	4070	
Load length at mid-heightwith bulkhead	2464	2914	2914	3555	3555	2335	3920	3920	
Load width (maximum)	1870	1870	1870	1870	1870	1870	1870	1870	
Load width between wheel arches	1422	1422	1422	1422	1422	1422	1422	1422	
Load height (maximum)	1662	1662	1932	1932	2172	1932	1932	2172	
Load height under row 2 bench seat (maximum)	-	-	-	-	-	380	-	-	
Side doorwidth	1075	1250	1250	1250	1250	1250	1250	1250	
Side door height	1485	1485	1755	1755	1755	1755	1755	1755	
Rear doors width	1562	1562	1562	1562	1562	1562	1562	1562	
Rear doors height	1520	1520	1790	1790	2030	1790	1790	2030	
Load sill height	535 -565	535 -565	535 -565	535 -565	535 -565	535 -565	535 -565	535 -565	
EXTERIORDIMENSIONS (MM)									
Wheelbase	3000	3450	3450	4035	4035	4035	4035	4035	
Length	4963	5413	5413	5998	5998	5998	6363	6363	
Height	2254	2254	2522	2522	2760	2522	2522	2760	
Width (excl. door mirrors)	2050	2050	2050	2050	2050	2050	2050	2050	
Front overhang	948	948	948	948	948	948	948	948	
Rear overhang	1015	1015	1015	1015	1015	1015	1380	1380	
STEERING									
Turns from lock to lock				3.8	87				
Turning circle between kerbs/walls (m) L1				11.26	/ 11.44				
Turning circle between kerbs/walls (m) L2				12.64	/ 12.84				
Tuming circle between kerbs/walls (m) L3 & L4		14.24 / 14.46							



WITH THE ADDEDREASSURANCE OF A WARRANTY, ROUTINE SERVICING AND MAINTENANCE, AS WELL AS 24-HOURROADSIDE ASSISTANCE, YOU ARE PROTECTED.

CITROËN WARRANTY

Every new Citroën van has the benefit of a 3 year* warranty package, plus a 5 year anti-perforation** warranty and a 2 year paint warranty.

*2 years' unlimited warranty. No-fee customeroption of 1 year's Dealer provided warranty, only on vans sourced from Citroën UK Limited. Note: Dealer provided warranty is limited to 100,000 miles for vans, motorhomes and converted vehicles.

**Against all internal to external perforation to bodyworkor underbody.

CITROËN MAINTENANCE

From roadside assistance to replacing wear and tear parts or regular servicing, with Citroën Maintenance you have total peace of mind. For a one-offfee or low monthly payment, our experienced engineers will take care of your Citroën, whatever happens. To find out more, contact your Citroën Dealer or Citroën Authorised Repairer.

CITROËNASSIST

In response to a free telephone call in the UK. Citroen Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service. replacement vehicle, hotel accommodation and vehicle storage if required. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. For more details please contact Citroën at http://citroen-uk-en.custhelp.com

CITROËN SERVICING

Available up to 1 year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing Package enables you to pay in advance for your vehicle's servicing needs for 3 years/35,000 miles. For further information, please contact your Citroën Dealer.

CITROËN MAINTENANCE

Once your vehicle is three years old, it requires an annual MOT Test. This is a legal requirement to check that it meets road safety and environmental standards. Our nationwide network of Citroën Authorised Repairers knowyour Citroën best, so if vour vehicle's MOT Test is due. why not contact your local Citroen dealer? You can be confident that your vehicle will be looked after by one of our expert trained Citroën Technicians, nominated by DVSA as accredited MOT Testers. Plus, whilst your vehicle is with us, we'll carry out a free outstanding manufacturer diagnostic test, check for any new technical updates and carry them out for free -that's the advantage of getting your test done by the people who really knowyour Citroën.

CITROÉN prefers TOTAL -Note/magesandspecification descriptions are dependent on trimlevel and options specified. Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press. However the company reserves the right have histories press productions and entering the several details and the reserved from the r





TO FIND OUT MORE